CCEM-K9, EUROMET.EM-K9 and SIM.EM-K9

MEASURAND : AC/DC voltage transfer difference
VOLTAGE : 1000 V
FREQUENCY : 1 kHz

Degrees of equivalence: D_i and expanded uncertainty U_i at a 95 % level of confidence, both expressed in µV/V



Red diamonds : participants in CCEM-K9
Green triangles : participants in EUROMET.EM-K9 only
Blue circles: participants in SIM.EM-K9 only

CCEM-K9, EUROMET.EM-K9 and SIM.EM-K9

MEASURAND : AC/DC voltage transfer difference
VOLTAGE : 1000 V
FREQUENCY : 10 kHz

Degrees of equivalence: D_i and expanded uncertainty U_i at a 95 % level of confidence, both expressed in µV/V



Red diamonds : participants in CCEM-K9
Green triangles : participants in EUROMET.EM-K9 only
Blue circles: participants in SIM.EM-K9 only

CCEM-K9, EUROMET.EM-K9 and SIM.EM-K9

MEASURAND : AC/DC voltage transfer difference
VOLTAGE : 1000 V
FREQUENCY : 20 kHz

Degrees of equivalence: D_i and expanded uncertainty U_i at a 95 % level of confidence, both expressed in µV/V



Red diamonds : participants in CCEM-K9
Green triangles : participants in EUROMET.EM-K9 only
Blue circles: participants in SIM.EM-K9 only

CCEM-K9, EUROMET.EM-K9 and SIM.EM-K9

MEASURAND : AC/DC voltage transfer difference
VOLTAGE : 1000 V
FREQUENCY : 50 kHz

Degrees of equivalence: D_i and expanded uncertainty U_i at a 95 % level of confidence, both expressed in µV/V



Red diamonds : participants in CCEM-K9
Green triangles : participants in EUROMET.EM-K9 only
Blue circles: participants in SIM.EM-K9 only

CCEM-K9, EUROMET.EM-K9 and SIM.EM-K9

MEASURAND : AC/DC voltage transfer difference
VOLTAGE : 1000 V
FREQUENCY : 100 kHz

Degrees of equivalence: D_i and expanded uncertainty U_i at a 95 % level of confidence, both expressed in µV/V



Red diamonds : participants in CCEM-K9
Green triangles : participants in EUROMET.EM-K9 only
Blue circles: participants in SIM.EM-K9 only
Note : U_{OMH} **= 200.2 µV/V**